

Claims:

1. A Chinese medicine preparation for treating AIDS, characterized in that the preparation is prepared according to the following weight proportions of raw medicinal materials:

5	Geranium	120-150	
	Root of Membranous Milkvetch		120-150
	Herba Solani Nigri	120-200	
	Honeysuckle Flower	120-200	
	Flower of Common Bombax		60-100
10	Fruit of Belleric Terminalia	40-60	
	Herba Hedyotis Diffusae		80-150
	Pomegranate Rind	40-60	
	Radix Oryzae	150-200	
	Fructus Trapae	80-150.	

15
2. The Chinese medicine preparation for treating AIDS according to claim 1, characterized in that the preparation is prepared according to the following weight proportions of raw medicinal materials:

	Geranium	180	
20	Root of Membranous Milkvetch		180
	Herba Solani Nigri	180	
	Honeysuckle Flower	180	
	Flower of Common Bombax		120
	Fruit of Belleric Terminalia	90	
25	Herba Hedyotis Diffusae		180
	Pomegranate Rind	90	
	Radix Oryzae	300	
	Fructus Trapae	180.	

3. The Chinese medicine preparation for treating AIDS according to claim 1, characterized in that the preparation is prepared according to the following weight proportions of raw materials:

5	Geranium	120-150
	Root of Membranous Milkvetch	120-150
	Herba Solani Nigri	120-120
	Honeysuckle Flower	120-120
	Flower of Common Bombax	60-100
10	Fruit of Belleric Terminalia	40-60
	Herba Hedyotis Diffusae	80-150
	Pomegranate Rind	40-60
	Radix Oryzae	150-200
	Fructus Trapae	80-150
15	Pericarpium Trichosanthis	40-60
	Root of Chinese Thorowax	60-100
	Herb of Chinese Mosla	40-60
	Liquorice Root	60-80
	Stem of Suberect Spatholobus	120-150
20	Safflower	40-60
	Ginkgo leaf	40-60
	Purslane herb	60-120
	Rhizoma picrorhizae	40-60
	Scorpion	28-40.

25

4. A method of preparing a Chinese medicine tablet for treating AIDS, characterized in that Chinese herbal medicines such as Geranium, Honeysuckle Flower, Pericarpium Trichosanthis, Root of Chinese Thorowax, Herb of Chinese

Mosla, Pomegranate Rind, Root of Membranous Milkvetch, Liquorice Root, Flower of Common Bombax, Stem of Suberect Spatholobus, safflower, Radix Oryzae, medicine terminalia fruit, Herba Hedyotis Diffusae, Fructus Trapae, ginkgo leaf, Purslane herb, Rhizoma picrorhizae, Herba Solani Nigri, Scorpion are used as medicinal materials, and the method comprises the steps of:

A. cutting the medicinal materials, Geranium, Root of Chinese Thorowax, Herb of Chinese Mosla, and Honeysuckle Flower, for extracting volatile oil into 2-5 cm pieces, and grinding the medicinal material scorpion into fine powders for later use;

B. extracting the medicinal materials for extracting volatile oil for 5 hrs, collecting an aqueous solution in another container after distillation, And clathrating the volatile oil with cyclodextrin for later use;

C. adding water and decocting the rest 15 medicinal materials with gruffs obtained after extracting the volatile oil for two times, wherein 10 times of water is added for the first time and 8 times water for the second time, and the mixture is decocted for 2 hrs for each time; mixing and filtering with 160-180 screen mesh liquids obtained in the above decocting step, then mixing the filtrate with the aqueous solution, then concentrating the resulting mixture to a relative density about 1.30 (determined at 50°C), adding clathrate of fine scorpion powder and cyclodextrin, decompressing to condense (65°C ~ 75°C) till dry, grinding the obtained substance and preparing a powdered extract;

D. adding a predetermined amount of 16% wet starch to the powdered extract, mixing them well and adding 95% ethanol thereto, making granules through 16 mesh screen, then granulating through 14 mesh screen, drying at a temperature lower than 60°C and adding 1% magnesium stearate, squashing to 1000 tablets, and coating the tablets.